

The Unseen One: Hades Ransomware Gang or Hafnium

Threat Intelligence from Incident Response Engagements

By Jason Bevis, VP, Awake Labs, Awake Security

When you talk about ransomware threat actors, the image that is conjured up is one of ruthless mercenaries looking to make a quick buck. Unfortunately, much of the security industry operates under this assumption, and perhaps fails to look at broader motives and deeper breaches. Our incident response engagements with Hades and other threat actors has us increasingly convinced that ransom is not the only objective for at least some of these gangs. With that perspective, we are engaging the community to share our analysis. As we encountered the Hades threat actor, they appeared to exhibit a number of characteristics that were at once unlike other ransomware gangs, almost amateurish in a sense, while at the same time showing the type of sophistication and obfuscation that is more the forte of nation-state based advanced persistent threats (APT). Our “spidey sense” certainly went off but given the extremely limited threat intelligence on the Hades ransomware gang across the community as a whole, it was difficult to paint the full picture. However, as our experience with this threat actor has increased, we have been able to identify a set of defining characteristics that lead us down the path of challenging the conventional wisdom surrounding at least one ransomware gang. Perhaps the other gangs have similar alternate motives that we have not collectively picked out.

In this post we will break down several aspects we saw during our incident response engagements including:

- Industries and Geography
- Leak Sites
- Tactics and Tools
- Forensic Practices
- Intelligence Gaps
- Detecting the Techniques

As you will see below, in responding to this threat actor we uncovered evidence tactics, techniques and procedures that can be attributed to multiple sophisticated adversaries including, currently in the news, [Hafnium](#) group. Based on a forensic timeline we built across multiple engagements, we believe there is significant evidence that points to one of two possibilities:

- An advanced threat actor is operating under the guise of Hades;
- Multiple independent actors just coincidentally compromised the same environment, potentially due to weak security practices in general.

Background

Arista's Awake Labs' incident response team had the opportunity to help several of the organizations impacted by Hades with their incident response needs. Some may already be familiar with the Hades Ransomware attack on [Forward Air Trucking Giant Attack](#) in December 2020, however at the end of 2020 there were several other victims. With such a limited number of publicly disclosed victims of the Hades group, we have a unique perspective with data that has not been available to anyone else. As you will see below we uncovered evidence of multiple nation-state and ransomware actors tools and techniques, while at the same time observing behaviors that are uncharacteristic of a sophisticated ransomware adversary.

Hafnium and Other Potential Connections to Hades

As we responded to multiple Hades ransomware attacks over the last few months, the lack of logging and forensic data sometimes hampered our ability to identify the initial access point into the network. The one exception being a possible Hafnium compromise. Our team was pulled in after the compromise and encryption to review the situation and in this one case a Hafnium domain was identified as an indicator of compromise within the timeline of the Hades attack. Moreover, this domain was associated with an Exchange server and was being used for command and control in the days leading up to the encryption event. The domain, p[.]estonine[.]com/p?smb, was identified by a third party forensic firm first engaged by the victim. Based on their analysis this domain was first seen in a Hades attack in December 2020. Clearly at this point the vulnerability in Exchange had not been publicly disclosed but this attack time frame aligns more closely with the [DevCore vulnerability discovery date](#). This clearly provides evidence of the attack prior to January 2021, which has been the consensus until now.

In addition to Hafnium and the Hades gang, some victims showed evidence of other threat actors. While we were not able to forensically determine the direct connection to the Hades attacks, we are providing a summary of these discoveries in case this intelligence is relevant to future Hades attacks.

Existence of TimosaraHackerTeam (THT) Tools and Techniques

Remnants of the TimosaraHackerTeam (THT) ransomware group, named after a town in Romania, were identified in one or more environments, a few weeks prior to the Hades attack. The THT situation mirrored almost exactly the details in this Sensors Tech Forum Remove THT posting from March 2020. Awake Labs also saw the use of BestCrypt as mentioned in a blog post by id-ransomware in June of 2018. In short, we saw the following activities.

- VSS Admin was used to clear shadow copies of the local machine
- Bitlocker or BestCrypt (bcfmgr) was used for encryption on the local machines
- External IP connection was made to Romania IP 185[.]225[.]19[.]240

For the THT IOCs, the IP address mentioned from Romania was observed between October and November 2020 with malicious behavior and associated with two new files tracked on VirusTotal.

File MapsBroker.exe

- SHA-256 ed3dc1c727e5de77e3700cd2da699d46e3590dc98f8cabca7a70fd9e6e73977a

Oracle.bat

- SHA-256 2fb5766af3d68c210e62518263b2f29ca4c50100c99b6979c3d0e19f05af6a39

It was also reported with malicious behavior by open intel communities on October 30, 2020 (Figure 1).

DATE CHECKED	URL	HOSTNAME	SERVER RESPONSE	IP
Oct 30, 2020	http://185.225.19.240/	185.225.19.240	200	185.225.19.240
Oct 30, 2020	http://185.225.19.240/dmenconsvc.dll	185.225.19.240	200	185.225.19.240

Figure 1: TimosaraHackerTeam IOCs

Hades Gang: Tactics, Techniques and Procedures

Industries and Geographies

Our analysis and intelligence shows that there was relatively a small number of organizations that were hit by the Hades ransomware gang. While there could be more, it is interesting to note that no other victims have been publicly identified in the media or via the known Hades leak methods (more on this below).

The focus of this gang also appears to be mostly with a few industries. As mentioned above, a logistics provider has been publicly mentioned as a victim. Our intelligence shows that most of the other organizations have a focus in manufacturing, and more specifically those in the automotive supply chain as well as those with insulation products.

The locations of the attack were slightly dispersed as each of the companies were global in their operational footprints. While these organizations were impacted across multiple geographies, we have evidence to suggest that the ransomware attack was focused on the geographies below :

- Canada
- Germany
- Luxembourg
- Mexico
- United States

While other ransomware gangs do target specific verticals, they usually run larger campaigns where the goal is to compromise several organizations with the hope of higher payouts. Hades' relatively narrow targeting does stand out as unique comparatively.

Leak Sites

As incident responders know it is common for ransomware actors to set up leak sites for their data, but what was interesting about Hades is that they used methods for both their leaks and their drop sites that would likely be taken down within a very short time. There was very little sophistication in this setup, something that stands apart from other ransomware actors. For example, if you look up @hadesleaks on Twitter today you will see the response "No results for "@hadesleaks". However, as

recently as December 2020 / January 2021, there were a few victims mentioned including the trucking giant (Figure 2). Additionally, we observed that this actor chose multiple different sites for their leaks, with the only consistency being the Twitter account used to broadcast the message naming the victims.



Figure 2: hadesleaks Twitter

For instance, in the first posting on Dec 17th, the leak site “hackforums” was used (Figure 3). But very quickly this site was rendered inaccessible within the forum.




Figure 3: hackforums Dec 17 leak

11 days later in their next post, we see the Hades gang use both pastebin and a mirror hastebin (Figure 4). Both sites today say, “This page is no longer available.” The pastebin and the hastebin site were removed.

In both these sites we see the files hosted on “mega.nz”, a cloud storage provider, which we will provide more context about later.

Resource Development (TA0042)	Malware compilation Obtain Capabilities: Malware – T1588.001
Execution (TA0002)	Execution of the malware (Ransomware) Malicious File - T1204.002 Winexe tool for remote execution System Services: Services Execution - T1569.002
Credential Access (TA0006)	Use of service and admin level accounts Valid Accounts – T1078
Discovery (TA0007)	GUI navigation of shares and directories Network Share Discovery – T1135 Query session command qwinsta Remote System Discovery – T1018
Lateral Movement (TA0008)	Remote desktop login Remote Desktop Protocol - T1021.001 Transfer of malware (Ransomware) via PsExec Lateral Tool Transfer - T1570
Collection (TA0009)	7zip and Zip used to compress data prior to exfiltration Archive Collected Data – T1560 Search of local file systems and databases Data from network Share Drives – T1039 Data from Local System – T1005 Archived files staged for extraction Data Staged: Local Data Staging – T1074.001
Command and Control	Hafnium domain DNS communication - T1071.004
Exfiltration (TA0010)	Mega.nz Cloud Storage Provider Exfiltration Over Web Service: Exfiltration to Cloud Storage – T1567.002
Impact (TA0040)	Ransomware Data Encrypted for Impact (T1486)

Forensic Practices

Resource Development

During our review, Awake was able to identify timestamps within the AppCompatCache that showed binary modifications. The actor appeared to be compiling the ransomware binary at the same time the data was exfiltrating out of the environment.

Execution

We identified execution of the malware, which was achieved via PsExec, through the RecentApps entry, Registry Key LastWrite times and the creation of new services on the remote systems it was run against.

Credential Access

The threat actor also leveraged valid accounts throughout the environments showing there was some level of compromise that enabled them to obtain privileged access. Awake was able to use bitmap cache file entry for RDP typically located in the directory

- \Users\\AppData\Local\Microsoft\Terminal Server Client\Cache\

Awake was also able to see JumpList entries for RDP with the associated user id in the directory

- \Users\\AppData\Roaming\Microsoft\Windows\Recent\AutomaticDestinations\

These artifacts exposed both service account and privilege admin accounts that were used by the threat actor.

We also are aware of at least one environment where Mimikatz was used as a method to extract credentials. This was the same environment with the file winexesvc.exe on the Exchange system where the Hafnium domain was identified.

- SHA 256: 31443b7329b1bdbcf0564e68406beabf2a30168fdb7042bca8fb2998e3f11c5

Discovery

[Remote System Discovery](#) was also conducted by the actors via the query session command [qwinsta](#). This command was identified with the Powershell ConsoleHost_history.txt file. The qwinsta command is run to display information about sessions on a Remote Desktop Session Host server.

Lateral Movement

Like many other attacks, administrator and service accounts were used by the actor with PsExec to move lateral from system to system across domains to access and prep files for exfiltration. The actor compromised accounts and then used RDP to navigate throughout the organizations. Once the exfiltration was done, the actor then used PsExec to push the ransomware that encrypted the environments.

Collection

The Hades actors searched local file systems and databases to find files of interest and sensitive data prior to Exfiltration. They also searched and collected data from network shares on remote systems. Common targets of this were accessible shared directories on file servers. Awake identified these activities on multiple systems by analyzing the ShellBags registry artifact.

For the archiving, the actor was identified downloading 7zip from a regular download site. Awake also was aware of the WinRAR utility's use at some of the victim organizations. 7zip leaves an archive history in the NTUSER.data registry hive, which provided the ArchHistory value data which when parsed provides the file listings that were archived. The files listed in the ArchHistory were compared to files we knew were exfiltrated and they matched.

Exfiltration

The exfiltration methods that were concretely identified and used by the Hades gang are not particularly new. For instance, we see in an [article from July 2020](#) where the Mega[.]nz application was used. In this case, we investigated and identified the Hades actor downloading the standard Mega.nz application directly from its main site and using these commonly available tools for exfiltration.

Impact

The actor in more than one instance was particularly destructive. There were several confirmed instances where the actor issued commands such as “kill” to destroy the backup storage systems, rendering the organization incapable of restoring from backup.

Outside of the backup destruction we saw the impact of the encryption across the Microsoft Windows environment. With ransomware we know adversaries encrypt files in large numbers across the network. This was similar in the Hades incidents, we identified cross domain encryption and several different versions of the encryption software used in the Hades incidents. At least one of the files was associated with Sodinokibi ransomware while the others files appear to be associated with a Crypmodng signature.

- SHA 256: ea310cc4fd4e8669e014ff417286da5edf2d3bef20abfb0a4f4951afe260d33d
- SHA 256: 0dfcf4d5f66310de87c2e422d7804e66279fe3e3cd6a27723225aecf214e9b00
- SHA 256: fe997a590a68d98f95ac0b6c994ba69c3b2ece9841277b7fec9d9faa6f589a87
- SHA 256: 1f7b65834408fad403f4959f3c265751c09dd1d55350a68b1c02b603c145fe48

Detecting the Techniques

The Awake Security Platform detects these threats across the network. In addition, the Awake Labs team can be contacted for detailed forensic investigations. The following is a list of the existing network detection and response (NDR) models that can identify the activity outlined in this article.

Awake Security Detection Models
Discovery: SMB Admin Share Access
Lateral Movement: Psexec Like Activity
Lateral Movement: Interactive Remote Shell Access through PsExec
Lateral Movement: Remote Desktop Used by Administrator on Non-Admin Device
Lateral Movement and Execution: Remote Command Execution (psexec, cobalt strike, metasploit, others)
Download: Possible Ransomware Tool TTPs
Collection: Device Collecting Several Potentially-Sensitive Files from Destination System

C2: Highly Suspicious Domain Communicating Repeatedly With Few Devices

Exfiltration: At Least 1GB of Data Uploaded to Mega

Impact: Behavior Typical of Ransomware (Numerous New Files Created and Written)